Copyright (c) 2009 by Slot Car Corner Canada - All Rights Reserved.

Super Tires ® Application Chart (by Part#) - March 5, 2013

Classic Silicone (**R** = Rounded Sidewall)	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)
1000C	**1000Y**	0.818" 20.78mm	0.405" 10.29mm	Fly (Panoz, Viper)
1001C	**1001Y**	0.836" 21.23mm	0.410" 10.41mm	Fly (Panoz, Viper)
1002C	**1002Y**	0.848" 21.54mm	0.410" 10.41mm	Fly (Panoz, Viper)
1003C	**1003Y**	0.792" 20.12mm	0.410" 10.41mm	Carrera (Ferrari 575), Fly (BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1004C	**1004Y**	0.812" 20.62mm	0.410" 10.41mm	Carrera (Ferrari 575), Fly (BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, **Saleen S7R,** Venturi, Viper (2004))
1005C	**1005Y**	0.838" 21.29mm	0.410" 10.41mm	Fly (BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1006C	**1006Y**	0.850" 21.59mm	0.410" 10.41mm	Fly (BMW M3 E30, BMW M3 GTR, Corvette, Joest Porsche WSC, Lister, Lola B98/10, Marcos, Porsche 911 GT, Porsche EVO, Saleen S7R, Venturi, Viper (2004))
1007C	**1007Y**	0.815" 20.70mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly (Classic Series, Ferrari 512, Lola T70, Porsche 908, Porsche 917K), FlySlot (Lola T70, Ford MkII, Porsche 917LH), Spirit (Classic Series, MG Lola, Reynard), TSRF (1/32)
1008C	**1008Y**	0.830" 21.08mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly **(Classic Series,** Ferrari 365 GTB/4, **Ferrari 512,** Ford GT40, Lola T70, **Porsche 908, Porsche 917K**), FlySlot (Lola T70, Ford MkII, Porsche 917LH)
1009C	**1009Y**	0.844" 21.44mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, Stock Car 15x11mm, 5-Spoke Racing 15x11mm, Classic Steel 15x11mm, Insert Wheel 15x11mm), Fly (Classic Series, Ferrari 365 GTB/4, Ferrari 512, Ford GT40, Lola T70, Porsche 908, Porsche 917K), FlySlot (**Lola T70, Ford MkII, Porsche 917LH**)
1010C	**1010Y**	0.838" 21.29mm	0.430" 10.92mm	Scalextric (Audi R10, Ford GT, Lister Storm, Maserati MC12, Mercedes F1 Safety Car, Mercedes McLaren SLR), SCX (Dome Judd), Fly (Capri, Lancia, Porsche 911 GT, Porsche 935, BMW 3.5 CSL)
1011C	**1011Y**	0.850" 21.59mm	0.410" 10.41mm	Fly (Daytona Prototype, FlySlot Sunred)
1100C	**1100Y**	0.792" 20.12mm	0.430" 10.92mm	*(new part number is 1111R - see below)*
1100BC	**1100BY**	0.808" 20.52mm	0.430" 10.92mm	*(new part number is 1112R - see below)*
1101C	**1101Y**	0.802" 20.37mm	0.360" 9.14mm	Scalextric (NASCAR (including COT))
1102C	**1102Y**	0.804" 20.42mm	0.310" 7.87mm	Scalextric (Gran Torino, Corvette L88 (1968), Dodge Charger, Ferrari 330 P4, TransAm MiniLite Wheels (older))
1103C	**1103Y**	0.794" 20.17mm	0.453" 11.51mm	Scalextric (F1, Lotus 49, Eagle Gurney, Indy (Dallara))
1104C	**1104Y**	0.806" 20.47mm	0.337" 8.56mm	Scalextric (Ford GT40)
1105C	**1105Y**	0.808" 20.52mm	0.380" 9.65mm	Scalextric (Ford GT (old), Honda NSX JGTC, Nissan 350Z JGTC, Porsche 911 GT3, Toyota Supra JGTC, Maserati Trofeo, Mercedes AMG DTM, Mercedes SLK, Opel Astra DTM, Opel V8 Coupe DTM, Opel Vectra DTM)
1106C	**1106Y**	0.778" 19.76mm	0.294" 7.47mm	Scalextric (Mini-Cooper, Seat Leon, Ford Focus WRC, Mitsubishi Lancer WRC, Subaru WRC)
1111RC	**1111RY**	0.792" 20.12mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, Ford GT (new), Lamborghini Gallardo, McLaren MP4-12C, MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1112RC	**1112RY**	0.808" 20.52mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, Ford GT (new), Lamborghini Gallardo, McLaren MP4-12C, MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1113RC	**1113RY**	0.826" 20.98mm	0.430" 10.92mm	CB Design (LMP 17x11mm, Insert Wheel 17x11mm, 5-Spoke Racing 17x11mm), Scalextric (Cadillac Northstar LMP, Ferrari F430, **Ford GT (new)**, Lamborghini Gallardo, **McLaren MP4-12C**, MG Lola, Mustang FR500C, Nissan Skyline, Porsche RS Spyder, Aston Martin DBR9/DBS, Audi R8 LMS GT3, BMW 320i, Dodge Viper GT, Jaguar XKR, Nissan GT-R Drift, Peugeot 908 HDI FAP, Porsche 997 GT3 RS, START GT Endurance, START Pro Racing, TVR T400R)
1200C	**1200Y**	0.792" 20.12mm	0.410" 10.41mm	Ninco (Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 Wheels (#80740)), Carrera (Mercedes SLR)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.
Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Copyright (c) 2009 by Slot Car Corner Canada - All Rights Reserved.

Super Tires ® Application Chart (by Part#) - March 5, 2013

Classic Silicone (**R** = Rounded Sidewall)	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)
1201C	**1201Y**	0.812" 20.62mm	0.410" 10.41mm	Ninco (Audi TT, BMW M3 GTR, BMW V12, Chevrolet Cruz, Corvette, DTM Mercedes, Ferrari F360, Ford GT, Honda NSX, Lamborghini Gallardo, Lamborghini Murcielago, Lexus SC430, Lotus Exige GT3, McLaren F1 GTR, Mercedes CLK, Mosler MT900, Nissan 350Z, Porsche 997, Porsche GT1, Renault Megane, Toyota Supra, Acura LMP, Mustang, Pro-Race 17 Wheels (#80740)), Carrera (Mercedes SLR)
1202C	**1202Y**	0.778" 19.76mm	0.480" 12.19mm	Ninco (F1, Indy)
1203C	**1203Y**	0.626" 15.90mm	0.456" 11.58mm	Ninco (Go-Kart)
1204RC	**1204RY**	0.805" 20.45mm	0.225" 5.72mm	CB Design (5-Spoke 15x07mm, Classic Steel 15x07mm, Insert Wheel 15x07mm), Ninco (Classic Series (eCept Cobra)), Racer (Porsche 911S)
1300C	**1300Y**	1.056" 26.82mm	0.420" 10.67mm	Carrera (1/24 (BMW-Panoz-Porsche))
1301C	**1301Y**	0.840" 21.34mm	0.241" 6.12mm	Carrera (Classic Series, 56 T-Bird, 57 Chevrolet Bel Air, 60 Plymouth Fury, 69 Camaro, Aston Martin DB5, Aston Martin Vanquish, Corvette Stingray, Ferrari 166/212, Maserati A6GCS, Pontiac GTO)
1302C	**1302Y**	0.932" 23.67mm	0.320" 8.13mm	Carrera (Classic NASCAR's)
1303C	**1303Y**	0.824" 20.93mm	0.380" 9.65mm	Carrera (NASCAR COT, BMW Z4 Coupe)
1304C	**1304Y**	0.809" 20.55mm	0.565" 14.35mm	Carrera (McLaren M20 CanAm)
1305C	**1305Y**	0.853" 21.67mm	0.631" 16.03mm	Carrera (Porsche 917/30 CanAm)
1306C	**1306Y**	0.812" 20.62mm	0.470" 11.94mm	Carrera (F1 2009-2010)
1307C	**1307Y**	0.845" 21.46mm	0.420" 10.67mm	Carrera (Audi R8, BMW M3)
1308C	**1308Y**	0.858" 21.79mm	0.410" 10.41mm	Carrera (Ferrari 599, Ferrari 458, Mercedes SLS)
1309C	**1309Y**	0.795" 20.18mm	0.470" 11.94mm	Carrera (Ford Capri, Francesco Bernoulli)
1400C	**1400Y**	0.704" 17.88mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002)), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1400C	**1400Y**	0.757" 19.23mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1401C	**1401Y**	0.734" 18.64mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002), Fiat Abarth 500, Porsche 997 Rally), SCX (Volvo GT), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1401C	**1401Y**	0.785" 19.94mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), NSR (17x08mm Wheel (5003)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1402RC	**1402RY**	0.748" 19.00mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, **Porsche 956 (EVO6),** Porsche 962, **Porsche 962 (EVO6)**, 15x08mm (SIPA04-15-17-24-WH1183-1210), **Toyota 88C,** Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85, McLaren F1 GTR (RAW), Nissan R390 (RAW)), NSR (Ford GT40, 16x08mm Wheel (5001-5002), **Fiat Abarth 500,** Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K), Ninco (Mini-Cooper, Rally, Pro-Race 15 Wheels (#80718)), SCX (Morgan Aero 8, Rally, Seat Cupra GT, Tuner Car 2, BMW 320i), Racer (**Capri, Lancia**), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm), Artin (Mercedes CLK, Porsche GT1), Cartrix (BMW, Porsche)
1402RC	**1402RY**	0.796" 20.22mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), NSR (17x08mm Wheel (5003)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.
Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Copyright (c) 2009 by Slot Car Corner Canada - All Rights Reserved.

Super Tires ® Application Chart (by Part#) - March 5, 2013

Classic Silicone (**R** = Rounded Sidewall)	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)
1403RC	**1403RY**	0.777" 19.74mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (**Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956**, Porsche 956 (EVO6), **Porsche 962**, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, **Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85, McLaren F1 GTR (RAW), Nissan R390 (RAW)**), NSR (**Ford GT40**, 16x08mm Wheel (5001-5002), **Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K**), SCX (Seat Cupra GT, BMW 320i), Carrera (Enzo Ferrari), Racer (Capri, Lancia), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm), Mr Slotcar (Mazda 787B)
1403RC	**1403RY**	0.824" 20.93mm	0.350" 8.89mm	CB Design (LMP 17x08mm, Classic Steel 17x08mm, Insert Wheel 17x08mm), Slot.It (17x08mm (SIPA18-38-43-WH1185)), Sloting+ (16.5 x 8.5mm, 16.9 x 8.5mm)
1404RC	**1404RY**	0.805" 20.45mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Alfa 33/3, Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (Ford GT40, 16x08mm Wheel (5001-5002), Ford Mk IV, Ford P68, Mosler MT900R, Porsche 917K), Carrera (Enzo Ferrari), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1405C	**1405Y**	0.840" 21.34mm	0.350" 8.89mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Insert Wheel 15x08mm), Super Wheels SS (15x08mm), Slot.It (Ford GT40, Mazda 787B, Mercedes Sauber C9, Porsche 956, Porsche 956 (EVO6), Porsche 962, Porsche 962 (EVO6), 15x08mm (SIPA04-15-17-24-WH1183-1210), Toyota 88C, Audi R8C (original), Chapparal 2E, Ferrari 312PB, Ford Mk II, Jaguar XJR6/9/12, Lancia LC2/85), NSR (16x08mm Wheel (5001-5002)), Sloting+ (14.6 x 8.0mm, 15.0 x 8.0mm, 15.5 x 8.0mm, 15.9 x 8.0mm, 16.2 x 8.5mm)
1407C	**1407Y**	0.796" 20.22mm	0.394" 10.01mm	Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (Daytona Prototype), Sloting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ScaleAuto (Mercedes SLS, Radical SR9), ProSlot (Porsche GT2, Toyota GT1)
1408RC	**1408RY**	0.808" 20.52mm	0.394" 10.01mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slot.It **(Ferrari F40,** 17x10mm (SIPA10-19-62-WH1186), **Audi R18, Audi R8C (Reloaded), Lola B09/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98**), NSR (**Corvette C6R**, 17x10mm Wheel (5004-5017), Abarth S2000, **Audi R18 LMP, Audi R8 LMS, Porsche 997**, Renault Clio Cup/R3), Ninco (Lightning Pro Race), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (**Daytona Prototype**), Sloting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ScaleAuto (Mercedes SLS), ProSlot (Porsche GT2, Toyota GT1)
1409C	**1409Y**	0.823" 21.01mm	0.394" 10.01mm	Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), SCX (Aston Martin DB9, Audi R10, Corvette C6R, Ferrari 360, Ferrari 550, Ferrari FXX, Peugeot 908 LMP), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, Porsche GT3 RSR, Porsche RS Spyder ALMS), Racer (Daytona Prototype), Sloting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm), ProSlot (Porsche GT2, Toyota GT1)
1410C	**1410Y**	0.842" 21.39mm	0.394" 10.01mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Slot.It (Ferrari F40, 17x10mm (SIPA10-19-62-WH1186), Audi R18, Audi R8C (Reloaded), Lola B09/60, McLaren F1 GTR (original), Nissan R390 (original), Porsche 911 GT1 EVO98), NSR (17x10mm Wheel (5004-5017)), SCX (Corvette C6R, Ferrari FXX), Carrera (Audi DTM, C6R Race Liveries (not Street), Mercedes DTM, **Porsche GT3 RSR**, Porsche RS Spyder ALMS), Sloting+ (16.2 x 8.5mm, 16.5 x 8.5mm, 16.5 x 10.0mm, 16.9 x 8.5mm, 16.9 x 10.0mm, 17.2 x 9.0mm, 17.5 x 9.0mm)
1420C	**1420Y**	0.730" 18.54mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))
1420C	**1420Y**	0.780" 19.81mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1421C	**1421Y**	0.740" 18.80mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))
1421C	**1421Y**	0.794" 20.17mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1422C	**1422Y**	0.758" 19.25mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005))

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.
Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)

Copyright (c) 2009 by Slot Car Corner Canada - All Rights Reserved.

Super Tires ® Application Chart (by Part#) - March 5, 2013

Classic Silicone (**R** = Rounded Sidewall)	Yellow Dog Urethane	Outer Diameter	Width	Compatible cars and wheels Cars in bold indicate the closest match to the original tires (if more than one compatible Super Tires)
1422C	**1422Y**	0.809" 20.55mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1423C	**1423Y**	0.770" 19.56mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005)), Fly (BMW M1)
1423C	**1423Y**	0.821" 20.85mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1425C	**1425Y**	0.800" 20.32mm	0.470" 11.94mm	CB Design (F1-style 14.5x12mm), Slot.It (14x12mm (F1) (SIPA14-20)), NSR (F1 Wheel (5005)), Monogram (Greenwood Corvette)
1425C	**1425Y**	0.850" 21.59mm	0.470" 11.94mm	CB Design (5-Spoke 15x12mm, Stock Car 15x12mm, 5-Spoke Racing 15x12mm, Insert Wheel 15x12mm)
1500C	**1500Y**	0.825" 20.96mm	0.510" 12.95mm	Vanquish (BRM, Lola, M8E, McLaren, Mirage, Others, Shadow)
1601C	**1601Y**	0.818" 20.78mm	0.338" 8.59mm	SCX (Barracuda Trans Am, NASCAR (Pre-COT-COT-Pro))
1603C	**1603Y**	0.806" 20.47mm	0.373" 9.47mm	SCX (Audi R8 Pro, SCX 17mm Pro Wheel (#50460))
1700C	**1700Y**	0.825" 20.96mm	0.310" 7.87mm	Revell (Jaguar E-Type), MRRC (Chaparral, Porsche 910), Monogram (Vintage NASCAR)
1800C	**1800Y**	0.748" 19.00mm	0.380" 9.65mm	Spirit (Courage, Peugeot 406)
1900C	**1900Y**	0.836" 21.23mm	0.330" 8.38mm	Scalextric (Ford Falcon, TransAm 5-Spoke Wheels (newer)), Pioneer (Mustang Race Liveries)
1901RC	**1901RY**	0.808" 20.52mm	0.290" 7.37mm	Pioneer (Charger)
2000RC	**2000RY**	0.815" 20.70mm	0.220" 5.59mm	Scalextric (Classic Beetle), MRRC (Chaparral, Cobra, Cheetah, Ford GT40 Mk IV, Kellison, King Cobra, Porsche 904 GTS, Porsche 911, Sebring Chassis)
2102RC	**2102RY**	0.785" 19.94mm	0.400" 10.16mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke 15x10mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Classic Steel 17x08mm, Insert Wheel 15x08mm, Insert Wheel 15x10mm, Stock Car 15x10mm), Super Wheels SS (15x08mm), Slot.It (15x10mm (SIPA49-WH1184)), NSR (16x10mm Wheel (5015-5016)), Sloting+ (15.9 x 10.0mm, 16.2 x 10.0mm)
2102RC	**2102RY**	0.828" 21.03mm	0.400" 10.16mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Sloting+ (16.5 x 10.0mm)
2104RC	**2104RY**	0.803" 20.40mm	0.400" 10.16mm	CB Design (5-Spoke 15x08mm, F1-style 15x08mm, LMP 15x08mm , Stock Car 15x08mm, 5-Spoke 15x10mm, 5-Spoke Racing 15x08mm, Classic Steel 15x08mm, Classic Steel 17x08mm, Insert Wheel 15x08mm, Insert Wheel 15x10mm, Stock Car 15x10mm), Super Wheels SS (15x08mm), Slot.It (15x10mm (SIPA49-WH1184)), NSR (16x10mm Wheel (5015-5016)), Sloting+ (15.9 x 10.0mm, 16.2 x 10.0mm)
2104RC	**2104RY**	0.848" 21.54mm	0.400" 10.16mm	CB Design (LMP 17x10mm, Insert Wheel 17x10mm), Super Wheels SS (17x10mm), Sloting+ (16.5 x 10.0mm)
2112RC	**2112RY**	0.780" 19.81mm	0.430" 10.92mm	CB Design (5-Spoke 15x11mm, 5-Spoke Racing 15x11mm, Insert Wheel 15x11mm, Classic Steel 15x11mm, Stock Car 15x11mm), Fly (Classic Series, Ferrari 512, Lola T70, Porsche 908), Monogram (Greenwood Corvette), Spirit (Classic Series, MG Lola, Reynard), TSRF (1/32)
DF1AC	**DF1AY**	0.750" 19.05mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF2AC	**DF2AY**	0.769" 19.53mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF3AC	**DF3AY**	0.780" 19.81mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF4AC	**DF4AY**	0.801" 20.35mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF5AC	**DF5AY**	0.814" 20.68mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)
DF6AC	**DF6AY**	0.840" 21.34mm	0.376" 9.55mm	Super Wheels DF (Double-Flange Wheel)

Note 1: Shaded rows in the chart indicate the dimensions of the same tires on different wheels.
Note 2: Widths for "R" series tires are for the contact patch only (excludes sidewall)